



T S
M S SMS B I C M R
BICMR P U PKU
M F PKU J T
SMS BICMR PKU I

D C S M S P U
G T B I C M R P U

R L B I C M R P U
S S M S P U

L U USA
S C U USA
B U M USA
M I T USA
C I T USA

C T E

Morning Session	Venue: Lecture Hall, 2nd Floor, JiaYiBing Building, No. 82 JingChunYuan, BICMR Chair: Ruochuan Liu
08:30-08:50	Sign in
08:50-09:00	Opening Speech Professor Dayue Chen Dean, SMS Professor Xiaobo Liu Vice Director, BICMR
09:00-09:45	Yifeng Liu Yale University, USA
10:05-10:50	Xin Sun Columbia University, USA
10:50-11:15	Coffee break and group photo
11:15-12:00	Botong Wang University of Wisconsin-Madison, USA
Afternoon Session	Venue: Room 1304, Sciences Building No. 1 Chair: Yuguang Shi
14:00-14:45	Zhiwei Yun Massachusetts Institute of Technology, USA
15:00-15:45	Xinwen Zhu California Institute of Technology, USA
16:00-17:00	Forum Venue: Room 1560, Sciences Building No. 1

Tea Place (morning): Vide Conference Room

Tea Place (afternoon): Room 1384, Science Building No. 1

L

U USA

Abstract : In this talk, we will give a brief introduction to the Langlands program, one of the most difficult and important topics in modern mathematics. The program builds a magnificent bridge connecting number theory, arithmetic geometry, representations and harmonic analysis of Lie groups, (and even physics). We will also survey some recent major achievements toward the program.

Biography :

	2003	2007		2007
	2012		2012	2015
	2015	2018	2017	2018
SASTRA		2018	7	2019
				7

S

C U USA

Abstract : In the last two decades there has been huge advance in understanding random surface from the perspective of the scaling limit of random triangulations. In this talk we review some highlights in this direction. In particular, we will explain in what sense Liouville quantum gravity is the uniformization of a class of natural random surfaces.

B i g a h : 2007 2017
 2017 Simons Junior Fellow
 2018 2021 2019 Bernoulli
 Society New Researcher Award 2020

Schramm-Loewner Evolution, Gaussian free field, random planar map

Liouville quantum gravity

B

U M USA

Ab ac : A classical result of de Bruijn and Erdos states that if n points in the plane are not contained in one line, then they determine at least n lines. We will discuss some higher dimensional generalizations of this result and its relation to Hodge theory.

B i g a h : 2002 2006 2006
 2012 2012 2015
 2015 2016
 June Huh Dowling Wilson 1975
 Acta Math 2002
 2019

M I T USA

Ab ac :

loop group

Bi g a h : 2000 41 IMO
2004 2009 2009
2010 2010 2012
2012 “
” SASTRA 2015 4
2016 2018

C I T USA

Ab ac : 1900

23 21

p

p

Bi g a h : 2000 2004 2009

2009-2012 2012-2014

2013

2015

